Application/Control Number: 10/751,177 Page 2

Art Unit: 3652

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the specification, page 1, line 2 of paragraph 001, the phrase --, now U.S. Patent No. 6,698,996,-- has been inserted after "2001".

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to James Keenan whose telephone number is 571-272-6925. The examiner can normally be reached on (schedule varies).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eillen Lillis can be reached on 571-272-6928. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

James Keenan Primary Examiner Art Unit 3652

JWK 1/19/06